

Фрезы с пластиной ZDCW

Фрезы торцовые универсальные

Угол в плане 90°







Схема	Обозначение	D	a	H	d	B	t	СМП	z
	210-05090AR04ZD15	50	15,0	40	22	10,4	6,3	ZDCW 15...	4
	210-06390AR05ZD15	63	15,0	40	22	10,4	6,3		5
	210-08090AR06ZD15	80	15,0	50	27	12,4	7,0		6
	210-10090BR07ZD15	100	15,0	50	32	14,4	8,0	ZDCW 15...	7
	210-12590BR09ZD15	125	15,0	63	40	16,4	9,0		9
ТУ 25.73.40-006-36293294-2018									

Фрезы с пластиной ZDCW

Фрезы концевые для обработки пазов и уступов

Угол в плане 90°






Схема	Обозначение	D	a	l	L	d	KM	СМП	z
	320-02590MKR02ZD1515	25	15	39	125	-	3	ZDCW 15...	2
	320-03290MKR03ZD1515	32	15	41	150	-	4		3
	320-04090MKR03ZD1515	40	15	41	155	-	4		3
	320-04090MKR04ZD1515	40	15	41	155	-	4		4
	320-05090MKR04ZD1515	50	15	41	155	-	4		4
	327-02590WR02ZD1515	25	15	39	95	25	-	ZDCW 15...	2
	327-03290WR03ZD1515	32	15	41	101	32	-		3
	327-04090WR04ZD1515	40	15	39	101	32	-		4
	327-05090WR04ZD1515	50	15	39	101	32	-		4
ТУ 25.73.40-013-36293294-2018									

Пластины

Схема	Обозначение	iC	a	s	α	d ₁	r
	ZDCW 150308 T(R/L)	9,525	15,0	3,18	15°	4,4	0,8

Винты

Схема	Обозначение	d	L	Размер Torx
	ST-40090-UX	M4,0-6g	9	15 IP

Фрезы с пластиной ZPCW

Фрезы торцовые универсальные

Угол в плане 90°





Схема	Обозначение	D	a	H	d	B	t	СМП	z
	214-16090CR10ZP20	160	20,0	63	40	16,4	9,0	ZPCW 20...	10
	214-20090CR11ZP20	200	20,0	63	60	25,7	14,0		11

ТУ 25.73.40-006-36293294-2018

Фрезы концевые для обработки пазов и уступов

Угол в плане 90°





Схема	Обозначение	D	a	l	L	d	KM	СМП	z
	325-05090MKR03ZP2020	50	20	41	155	-	4	ZPCW 20...	3
	325-06390MKR04ZP2020	63	20	41	180	-	5		4
	325-06390MKR05ZP2020	63	20	41	180	-	5		5

ТУ 25.73.40-013-36293294-2018

Пластины

Схема	Обозначение	iC	a	s	α	d_1	r
	ZPCW 200408 T(R/L)	12,700	20,0	4,76	11	5,5	0,8

Винты

Схема	Обозначение	d	L	Размер Torx
	ST-50120-UX	M5,0-5h	12	20 IP